

Inpatient Quality Indicator 16 (IQI 16) Heart Failure Mortality Rate July 2022 Hospital-Level Indicator Type of Score: Rate

Prepared by:

Agency for Healthcare Research and Quality

U.S. Department of Health and Human Services

qualityindicators.ahrq.gov

DESCRIPTION

In-hospital deaths per 1,000 hospital discharges with a principal diagnosis of heart failure for patients ages 18 years and older. Excludes discharges with a procedure for heart transplant, discharges admitted from a hospice facility, transfers to another hospital, and obstetric discharges.

[NOTE: The software provides the rate per hospital discharge. However, common practice reports the measure as per 1,000 discharges. The user must multiply the rate obtained from the software by 1,000 to report in-hospital deaths per 1,000 hospital discharges.]

NUMERATOR

Number of deaths (DISP=20) among discharges meeting the inclusion and exclusion rules for the denominator.

DENOMINATOR

Discharges, for patients ages 18 years and older, with a principal ICD-10-CM diagnosis code for heart failure (MRTCHFD*).

July 2022 1 of 4

AHRQ QI™ ICD-10-CM/PCS Specification v2022 IQI 16 Heart Failure Mortality Rate qualityindicators.ahrq.gov

DENOMINATOR EXCLUSIONS

Exclude discharges:

- with any procedure code for heart transplant (*HEARTTRP* *)
- admitted from a hospice facility (PointOFOriginUB04=F)
- transferring to another short-term hospital (DISP=2)
- MDC 14 (pregnancy, childbirth, and puerperium)
- MDC 15 (newborns and other neonates with conditions originating in perinatal period)
- with an ungroupable DRG (DRG=999)
- with missing discharge disposition (DISP=missing), gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing) or principal diagnosis (DX1=missing)
- with missing MDC (MDC=missing) when user indicates that MDC is provided

July 2022 2 of 4

^{*} See below for code list

Heart failure diagnosis codes: (MRTCHFD)

| I0981 | Rheumatic heart failure | I5041 | Acute combined systolic (congestive) and diastolic (congestive) heart failure |
|-------|---|--------|--|
| I110 | Hypertensive heart disease with heart failure | I5042 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| 1130 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or Unspecified chronic kidney disease | I5043 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| I132 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease | I50810 | Right heart failure, Unspecified |
| I501 | Left ventricular failure, Unspecified | I50811 | Acute right heart failure |
| I5020 | Unspecified systolic (congestive) heart failure | I50812 | Chronic right heart failure |
| I5021 | Acute systolic (congestive) heart failure | I50813 | Acute on chronic right heart failure |
| I5022 | Chronic systolic (congestive) heart failure | I50814 | Right heart failure due to left heart failure |
| I5023 | Acute on chronic systolic (congestive) heart failure | I5082 | Biventricular heart failure |
| I5030 | Unspecified diastolic (congestive) heart failure | I5083 | High output heart failure |
| I5031 | Acute diastolic (congestive) heart failure | I5084 | End stage heart failure |
| I5032 | Chronic diastolic (congestive) heart failure | I5089 | Other heart failure |
| I5033 | Acute on chronic diastolic (congestive) heart failure | I509 | Heart failure, Unspecified |
| I5040 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure | | |

July 2022 3 of 4

Heart transplant procedure codes: (HEARTTRP)

| 02HA0QZ | Insertion of implantable heart assist system into heart, open approach | 02HA4RJ | Insertion of short-term external heart assist system into heart, intraoperative, percutaneous endoscopic approach |
|---------|--|---------|---|
| 02HA0RJ | Insertion of short-term external heart assist system into heart, intraoperative, open approach | 02HA4RS | Insertion of biventricular short-term external heart assist system into heart, percutaneous endoscopic approach |
| 02HA0RS | Insertion of biventricular short-term external heart assist system into heart, open approach | 02HA4RZ | Insertion of short-term external heart assist system into heart, percutaneous endoscopic approach |
| 02HA0RZ | Insertion of short-term external heart assist system into heart, open approach | 02YA0Z0 | Transplantation of heart, allogeneic, open approach |
| 02HA3QZ | Insertion of implantable heart assist system into heart, percutaneous approach | 02YA0Z1 | Transplantation of heart, syngeneic, open approach |
| 02HA3RJ | Insertion of short-term external heart assist system into heart, intraoperative, percutaneous approach | 02YA0Z2 | Transplantation of heart, zooplastic, open approach |
| 02HA3RS | Insertion of biventricular short-term external heart assist system into heart, percutaneous approach | 5A02116 | Assistance with cardiac output using Other pump, intermittent |
| 02HA3RZ | Insertion of short-term external heart assist system into heart, percutaneous approach | 5A02216 | Assistance with cardiac output using Other pump, continuous |
| 02HA4QZ | Insertion of implantable heart assist system into heart, percutaneous endoscopic approach | | |

July 2022 4 of 4